

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L2	25238	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L3	4379	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L4	469	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L5	32	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance) ) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L6	92	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L7	11	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L8	864	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

L9	42531	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L10	69062	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L11	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L12	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L13	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L14	10	("6226692" "6226692" "4385352" "5983274" "6490719" "6690782" "6690783" "4902237" "5448726" "5606665" "5864712" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L15	1	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L16	25238	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L17	4379	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L18	42531	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

L19	69062	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L20	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L21	32	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance) ) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L22	92	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L23	11	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L24	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L25	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L26	469	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34
L27	864	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:34

S1	0	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:49
S2	17788	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:45
S3	3282	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:30
S4	330	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:30
S5	22	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance) ) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 11:52
S6	55	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:48
S7	6	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 14:57
S8	610	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 15:19
S9	36312	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 15:50

S10	60920	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/17 15:51
S11	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 09:38
S12	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/19 09:38
S44	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/18 11:05
S45	10	("6226692" "6226692" "4385352" "5983274" "6490719" "6690782" "6690783" "4902237" "5448726" "5606665" "5864712" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S46	0	descriptor near5 dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S47	22973	descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S48	4016	dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S49	426	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propt\$3 event design anj time adj (information attribute propt\$3 metadata meta adj data)))) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07

S50	30	(dynamic near5 (discover\$3 learn\$3 identif\$4 stor\$3 modif\$7 chang\$3 revis\$3 provid\$3) near5 (type member attribute metadata meta adj data container propert\$3 event design anj time adj (information attribute propert\$3 metadata meta adj data)) near5 (component instance) ) and object adj oriented	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S51	74	(type adj descriptor) and (meta adj data metadata)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S52	7	type adj descriptor adj10 interface	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S53	785	type adj descriptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S54	39685	"717"/("101" "107" 162-165 "108" "116" "120").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S55	64743	("717"/("101" "107" 162-165 "108" "116" "120").ccls.) 707/103.ccls. "719"/("315" "316").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S56	11	("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S57	4	((("6026237" "6012067" "6377987" "20030163585" "6453356" "20010018689" "5835910" "5195178" "5146591" "6421681" "6374252").pn.) and container	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07
S58	1	"6012067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 12:07